

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments
1	IS&R	L1	11	(("4762770") or ("2947623") or ("6280811") or ("20020012604") or ("4911769")).PN.	US- PGPUB ; USPAT ; USOCR ; EPO; JPO; DERWE NT; IBM_T DB	2005/05/3 1 13:33	
2	BRS	L2	4840	(428/673 or 428/687 or 428/927 or 420/501 or 420/503 or 420/505 or 362/812 or 40/582 or 40/583) .ccls.	US- PGPUB ; USPAT ; USOCR ; EPO; JPO; DERWE NT; IBM_T DB	2005/05/3 1 13:35	
3	BRS	L3	1323	2 and (silver or ag)	US- PGPUB ; USPAT ; USOCR ; EPO; JPO; DERWE NT; IBM_T DB	2005/05/3 1 13:35	

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments
4	BRS	L4	659	3 and (rhenium or re or rhodium or rh or platinum or pt or iridium or ir)	US- PGPUB ; USPAT ; USOCR ; EPO; JPO; DERWE NT; IBM_T DB	2005/05/3 1 13:37	
5	BRS	L5	276	3 and (rhenium or iridium or rhodium or platinum)	US- PGPUB ; USPAT ; USOCR ; EPO; JPO; DERWE NT; IBM_T DB	2005/05/3 1 13:38	
6	BRS	L6	247	5 and (copper or titanium or aluminum or aluminium or tantalum or silicon)	US- PGPUB ; USPAT ; USOCR ; EPO; JPO; DERWE NT; IBM_T DB	2005/05/3 1 13:39	

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments
7	BRS	L7	16	6 and (reflector or reflectors)	US-PGPUB ; USPAT ; USOCR ; EPO; JPO; DERWE NT; IBM_T DB	2005/05/31 13:51	

	U	1	Document ID	Issue Date	Pages	Title
1			US 20040161630 A1	20040819	6	Alloys, reflector layers and their use
2			US 6333084 B1	20011225	10	Double-sided reflector films
3			US 6117559 A	20000912	10	Double-sided reflector films

	Current OR	Current XRef	Retrieval Classif	Inventor	S	C	P	2	3
1	428/673	428/688		Specht, Heiko et al.	X				
2	428/34	204/192.1; 204/192.12; 204/192.22; 204/192.26; 204/192.27; 427/533; 427/535; 427/536; 428/141; 428/457; 428/458; 428/480; 428/622; 428/626; 428/672; 428/673		Woodard; F. Eugene et al.	X				
3	428/458	204/192.1; 204/192.12; 204/192.22; 204/192.26; 204/192.27; 427/533; 427/535; 427/536; 428/34; 428/457; 428/480; 428/622; 428/626; 428/673		Woodard; F. Eugene et al.	X				

	U	1	Document ID	Issue Date	Pages	Title
4			US 5589280 A	19961231	13	Metal on plastic films with adhesion-promoting layer
5			US 5019458 A	19910528	6	Protected silvered substrates and mirrors containing the same
6			US 4416916 A	19831122	11	Thin film solar energy collector
7			US 3868294 A	19750225	5	Reflective markers

	Current OR	Current XRef	Retrieval Classif	Inventor	S	C	P	2	3
4	428/626	204/192.15; 204/192.16; 204/192.27; 359/584; 359/585; 359/839; 428/458; 428/469; 428/480; 428/629; 428/660; 428/662; 428/663; 428/687; 428/912.2; 428/913		Gibbons; Kevin P. et al.	X				
5	428/630	359/883; 428/432; 428/433; 428/434; 428/632; 428/633; 428/673		Elgat; Zvi et al.	X				
6	427/160	126/908; 428/630; 428/632; 428/639; 428/640; 428/670; 428/673		Aykan; Kamran et al.	X				
7	359/546	40/582		Gayle; Robert	X				

	U	1	Document ID	Issue Date	Pages	Title
8			US 3687713 A	19720829	6	PROTECTIVE COATING FOR SURFACES OF SILVER AND MIRROR FABRICATION
9			US 2819982 A	19580114	1	OCR. SCANNED DOCUMENT
10			US 2464256 A	19490315	5	Front-surface reflector and method of making same
11			US 2432657 A	19471216	7	Process of evaporating metals
12			US 2397583 A	19460402	6	OCR SCANNED DOCUMENT

	Current OR	Current XRef	Retrieval Classif	Inventor	S	C	P	2	3
8	428/623	427/160; 427/162; 427/164; 427/166; 427/255.7; 428/434; 428/471; 428/630; 428/632; 428/652; 428/673; 428/680; 428/926; 428/927; 428/938		ADAMS HARVEY N	X				
9	427/593	420/501; 427/107; 427/162; 427/166; 445/9		Name not available	X				
10	428/621	205/116; 428/433; 428/630; 428/667; 428/670; 428/687; 428/935; 428/936		PACKER DONALD M	X				
11	427/593	420/485; 420/496; 420/501; 420/512; 427/250		COLBERT WILLIAM H et al.	X				
12	359/868	359/883; 362/341; 428/630; 428/670; 428/671; 428/673; 428/678; 428/926; 428/935; 428/938		Name not available	X				

	U	1	Document ID	Issue Date	Pages	Title
13			US 2307551 A	19430105	5	Method of producing a white, platinumlike color chromium plate and the product thereof and bath therefor
14			US 1977639 A	19341023	4	Metal protected mirror
15			US 1947180 A	19340213	2	Tarnish resisting silver
16			US 1885700 A	19321101	7	Electroplating and process of producing same

	Current OR	Current XRef	Retrieval Classif	Inventor	S	C	P	2	3
13	428/666	205/283; 205/286; 205/287; 205/99; 428/927; 428/935		JOHN TRISKA JOSEPH	X				
14	428/630	205/116; 359/883; 428/434; 428/656; 428/673; 428/675; 428/680; 428/687; 428/920; 428/925; 428/935		LANGDON SETH C	X				
15	428/673	205/181; 205/917; 428/680; 428/686; 428/935		BLASIOUS BART	X				
16	428/665	205/261; 428/927; 428/935		FINK COLIN G	X				

Welcome to STN International! Enter x:x

LOGINID:sssptal304rxk

PASSWORD:

TERMINAL (ENTER 1, 2, 3, OR ?):2

* * * * * Welcome to STN International * * * * *

NEWS 1 Web Page URLs for STN Seminar Schedule - N. America
NEWS 2 "Ask CAS" for self-help around the clock
NEWS 3 FEB 25 CA/CAPLUS - Russian Agency for Patents and Trademarks
(ROSPATENT) added to list of core patent offices covered
NEWS 4 FEB 28 PATDPAFULL - New display fields provide for legal status
data from INPADO
NEWS 5 FEB 28 BABS - Current-awareness alerts (SDIs) available
NEWS 6 FEB 28 MEDLINE/LMEDLINE reloaded
NEWS 7 MAR 02 GBFULL: New full-text patent database on STN
NEWS 8 MAR 03 REGISTRY/ZREGISTRY - Sequence annotations enhanced
NEWS 9 MAR 03 MEDLINE file segment of TOXCENTER reloaded
NEWS 10 MAR 22 KOREAPAT now updated monthly; patent information enhanced
NEWS 11 MAR 22 Original IDE display format returns to REGISTRY/ZREGISTRY
NEWS 12 MAR 22 PATDPASPC - New patent database available
NEWS 13 MAR 22 REGISTRY/ZREGISTRY enhanced with experimental property tags
NEWS 14 APR 04 EPFULL enhanced with additional patent information and new
fields
NEWS 15 APR 04 EMBASE - Database reloaded and enhanced
NEWS 16 APR 18 New CAS Information Use Policies available online
NEWS 17 APR 25 Patent searching, including current-awareness alerts (SDIs),
based on application date in CA/CAPLUS and USPATFULL/USPAT2
may be affected by a change in filing date for U.S.
applications.
NEWS 18 APR 28 Improved searching of U.S. Patent Classifications for
U.S. patent records in CA/CAPLUS
NEWS 19 MAY 23 GBFULL enhanced with patent drawing images
NEWS 20 MAY 23 REGISTRY has been enhanced with source information from
CHEMCATS
NEWS 21 MAY 26 STN User Update to be held June 6 and June 7 at the SLA 2005
Annual Conference

NEWS EXPRESS JANUARY 10 CURRENT WINDOWS VERSION IS V7.01a, CURRENT
MACINTOSH VERSION IS V6.0c(ENG) AND V6.0Jc(JP),
AND CURRENT DISCOVER FILE IS DATED 10 JANUARY 2005

NEWS HOURS STN Operating Hours Plus Help Desk Availability
NEWS INTER General Internet Information
NEWS LOGIN Welcome Banner and News Items
NEWS PHONE Direct Dial and Telecommunication Network Access to STN
NEWS WWW CAS World Wide Web Site (general information)

Enter NEWS followed by the item number or name to see news on that
specific topic.

All use of STN is subject to the provisions of the STN Customer
agreement. Please note that this agreement limits use to scientific
research. Use for software development or design or implementation
of commercial gateways or other similar uses is prohibited and may
result in loss of user privileges and other penalties.

* * * * * STN Columbus * * * * *

FILE 'HOME' ENTERED AT 13:55:35 ON 31 MAY 2005

=> file registry

COST IN U.S. DOLLARS	SINCE FILE ENTRY	TOTAL SESSION
FULL ESTIMATED COST	0.21	0.21

FILE 'REGISTRY' ENTERED AT 13:56:22 ON 31 MAY 2005
 USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
 PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
 COPYRIGHT (C) 2005 American Chemical Society (ACS)

Property values tagged with IC are from the ZIC/VINITI data file provided by InfoChem.

STRUCTURE FILE UPDATES: 29 MAY 2005 HIGHEST RN 851364-46-0
 DICTIONARY FILE UPDATES: 29 MAY 2005 HIGHEST RN 851364-46-0

New CAS Information Use Policies, enter HELP USAGETERMS for details.

TSCA INFORMATION NOW CURRENT THROUGH JANUARY 18, 2005

Please note that search-term pricing does apply when conducting SmartSELECT searches.

```
*****
*
* The CA roles and document type information have been removed from *
* the IDE default display format and the ED field has been added,   *
* effective March 20, 2005. A new display format, IDERL, is now     *
* available and contains the CA role and document type information. *
*
*****
```

Crossover limits have been increased. See HELP CROSSOVER for details.

Experimental and calculated property data are now available. For more information enter HELP PROP at an arrow prompt in the file or refer to the file summary sheet on the web at:
<http://www.cas.org/ONLINE/DBSS/registryss.html>

```
=> s (ag 94-99.8)/mac
      35197 AG/MAC
      251381 94-99.8/MAC
L1      4446 (AG 94-99.8)/MAC
          (AG/MAC (P) 94-99.8/MAC)
```

```
=> 1 and (re 0.1-3)/mac
1 IS NOT A RECOGNIZED COMMAND
The previous command name entered was not recognized by the system.
For a list of commands available to you in the current file, enter
"HELP COMMANDS" at an arrow prompt (=>).
```

```
=> l1 and (re 0.1-3)/mac
L1 IS NOT A RECOGNIZED COMMAND
The previous command name entered was not recognized by the system.
For a list of commands available to you in the current file, enter
"HELP COMMANDS" at an arrow prompt (=>).
```

```
=> s 1 and (re 0.1-3)/mac
      17355839 1
          5613 RE/MAC
      619028 0.1-3/MAC
          2649 (RE 0.1-3)/MAC
              (RE/MAC (P) 0.1-3/MAC)
L2      2004 1 AND (RE 0.1-3)/MAC
```

```
=> s 2 and (pt 0.1-3)/mac
      18667775 2
          14888 PT/MAC
      619070 0.1-3/MAC
```

2397 (PT 0.1-3)/MAC
(PT/MAC (P) 0.1-3/MAC)
L3 1149 2 AND (PT 0.1-3)/MAC

=> s 2 and (cu 0.1-3)/mac
18667775 2
201462 CU/MAC
619070 0.1-3/MAC
111141 (CU 0.1-3)/MAC
(CU/MAC (P) 0.1-3/MAC)
L4 79838 2 AND (CU 0.1-3)/MAC

=> s 2 and (ti 0.1-3)/mac
18667775 2
121605 TI/MAC
619070 0.1-3/MAC
72210 (TI 0.1-3)/MAC
(TI/MAC (P) 0.1-3/MAC)
L5 50664 2 AND (TI 0.1-3)/MAC

=> s 2 and (au 0.1-3)/mac
18667775 2
16058 AU/MAC
619070 0.1-3/MAC
2184 (AU 0.1-3)/MAC
(AU/MAC (P) 0.1-3/MAC)
L6 929 2 AND (AU 0.1-3)/MAC

=> s 2 and (ta 0.1-3)/mac
18667775 2
23618 TA/MAC
619070 0.1-3/MAC
10851 (TA 0.1-3)/MAC
(TA/MAC (P) 0.1-3/MAC)
L7 7774 2 AND (TA 0.1-3)/MAC

=> s 2 and (si 0.1-3)/mac
18667775 2
356265 SI/MAC
619070 0.1-3/MAC
295974 (SI 0.1-3)/MAC
(SI/MAC (P) 0.1-3/MAC)
L8 207811 2 AND (SI 0.1-3)/MAC

=> s 2 and (al 0.1-3)/mac
18667775 2
225449 AL/MAC
619070 0.1-3/MAC
78940 (AL 0.1-3)/MAC
(AL/MAC (P) 0.1-3/MAC)
L9 53581 2 AND (AL 0.1-3)/MAC

=> logoff

ALL L# QUERIES AND ANSWER SETS ARE DELETED AT LOGOFF